

No. 597

FOR BOYS & YOUTHS—11 to 18 YEARS—SIZES 30 to 39

PATONS JET · TOTEM · HIGHLAND SPORTS · CONFETTI FLECKS  
DOUBLE QUICK · BLUEBELL · PATONYLE or BEEHIVE FING. 4-PLY



Page 15

Page 14

2/-



# He will want This One!



'KELMAN'  
IN THREE SIZES

## PATONS JET TRIPLEKNIT

ALL PURE WOOL MOTHPROOFED

<b>Size A. 30 inch chest.</b>	
Main Colour .....	17 balls
Contrasting Colour .....	1 ball
<b>Size B. 33 inch chest.</b>	
Main Colour .....	20 balls
Contrasting Colour .....	1 ball
<b>Size C. 36 inch chest.</b>	
Main Colour .....	25 balls
Contrasting Colour .....	1 ball

Length from top of shoulder—

Size A .. 20 ins. Size B .. 22½ ins. Size C .. 24 ins.

Length of sleeve seam—

Size A, 16½ ins. Size B, 18 ins. Size C, 19½ ins.  
(or length desired)

Patons Beehive Knitting Needles, 1 pair each Nos. 4 and 8, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

Three Medium Buttons.

ABBREVIATIONS: See page 19.

M. = Main Colour. C. = Contrasting Colour.

TENSION: 8½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see below.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

**THE FRONT**—Using No. 8 Needles and M., cast on 68 [B—74] [C—80] stitches.

**\*\*1st row.**—Using M., K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row five times.

**7th row.**—Using C., knit.

**8th row.**—Using C., K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 8th row twice. Break off C.

**11th row.**—Using M., knit.

Rep. 1st row five times. \*\*

Using No. 4 Needles and M., proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 12½ [B—14½] [C—15] ins. from commencement, ending with a purl row. \*\*\*

Shape raglan and divide for neck opening as follows—

**1st and 2nd rows.**—Cast off 2 sts., work to end of row.

**3rd row.**—K.2, slip 1, K.1, p.s.s.o., K.26 [B—K.29] [C—K.32], cast off 4 sts., K.26 [B—K.29] [C—K.32], K.2 tog., K.2.

Work on last set of sts.

**4th row.**—Purl.

**5th row.**—Knit to last 4 sts., K.2 tog., K.2.

Rep. 4th and 5th rows twelve [B—thirteen] [C—fifteen] times, then 4th row once. (16 [B—18] [C—19] sts.)

Shape for neck as follows—

**1st row.**—Cast off 3 [B—3] [C—4] sts., knit to last 4 sts., K.2 tog., K.2.

**2nd row.**—Purl.

**3rd row.**—K.2 tog., knit to last 4 sts., K.2 tog., K.2

Rep. 2nd and 3rd rows three [B—four] [C—four] times, then 2nd row once. (4 sts.)

**Next row.**—K.2 tog., K.2.

**Next row.**—Purl.

**Next row.**—K.2 tog., K.1.

P.2 tog., Fasten off.

Join in wool at centre front and work on remaining sts. to correspond with other side, working "slip 1, K.1, p.s.s.o." in place of "K.2 tog."

**THE BACK**—Work as given for Front to \*\*\*.

**\*\*Shape for raglan as follows—**

**1st and 2nd rows.**—Cast off 2 sts., work to end of row.


### Special Note —

Avoid  
disappointment—  
buy the wool  
recommended  
Buy wisely—  
buy enough of the  
one dye-lot—  
the same dye-lot  
cannot be  
repeated.

### Tension is most important!

**HOW TO CHECK YOUR TENSION**—Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the wool and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. **Lightly** press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension given in the instructions. All tensions are measured over plain smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.





**3rd row.**—K.2, slip 1, K.1, p.s.s.o., knit to last 4 sts., K.2 tog., K.2.

**4th row.**—Purl. \*\*

Rep. 3rd and 4th rows until 24 [B—26] [C—28] sts. remain.

Rep. 3rd row once.

**Next row.**—P.2, P.2 tog., purl to last 4 sts., P.2 tog.t.b.l., P.2. (20 [B—22] [C—24] sts.)

Cast off.

**THE SLEEVES**—Using No. 8 Needles and M., cast on 36 [B—38] [C—40] stitches.

Work as given from \*\* to \*\* for Front.

Using No. 4 Needles and M., proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows four [B—three] [C—three] times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 54 [B—50] [C—54] sts. on needle. [Sizes B and C only—then at each end of every following 6th row until there are [B—58] [C—62] sts. on needle.]

**All Sizes**—Continue in plain smooth fabric without shaping until side edge measures  $16\frac{1}{2}$  [B—18] [C—19 $\frac{1}{2}$ ] ins. (or length desired) from commencement, ending with a purl row.

Work as given from \*\* to \*\* for Back. Rep. 3rd and 4th rows until 10 sts. remain.

Rep. 3rd row once.

**Next row.**—P.2, P.2 tog., P.2 tog.t.b.l., P.2. (6 sts.) Cast off.

Work another Sleeve in same manner.

**THE LEFT FRONT BAND**—Using No. 8 Needles and M., cast on 8 stitches.

**1st row.**—(K.1, P.1) three times, K.2.

Rep. 1st row five [B—seven] [C—seven] times.

**Next row.**—K.1, P.1, K.1, cast off 2 sts., P.1, K.2.

**Next row.**—K.1, P.1, K.1, cast on 2 sts., P.1, K.2.

Continue in rib, making a buttonhole as before in every following 9th and 10th [B—9th and 10th] [C—11th and 12th] rows twice, (3 buttonholes in all).

Cast off in rib.

**THE RIGHT FRONT BAND**—Using No. 8 Needles and M., cast on 8 stitches.

**1st row.**—K.2, (P.1, K.1) three times.

Rep. 1st row twenty-seven [B—twenty-nine] [C—thirty-three] times.

Cast off in rib.

**THE COLLAR**—Using No. 8 Needles and C., cast on 89 [B—95] [C—101] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to last st., K.1.

**2nd row.**—\* K.1, P.1, rep. from \* to last st., K.1.

Rep. 1st and 2nd rows once. Break off C.

**5th row.**—Using M., knit.

**6th row.**—Using M., as 2nd row.

Using M., work 14 rows in rib.

**21st row.**—Cast off 4 sts., rib 10 [B—rib 13] [C—rib 16], \* (work 2 tog.) twice, rib. 4, rep. from \* to last 19 [B—22] [C—25] sts., (work 2 tog.) twice, rib to end of row. (69 [B—75] [C—81] sts.)

Cast off 4 sts. at beg. of next 7 rows. (41 [B—47] [C—53] sts.) Cast off remaining sts.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Using a fine back stitch seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. Using a fine back stitch seam, sew front bands in position. Using a flat seam, sew collar to neckline, commencing and finishing at centre of front bands. Sew on buttons to correspond with buttonholes. Finally, press all seams.

# An Easy Cable in Totem

*you can knit the back and sleeves at the telly*

'PIERRE'

IN THREE SIZES

## PATONS TOTEM KNITTING WOOL

ALL PURE WOOL MOTHPROOFED

Size A. 31 inch chest . . . . .	16 balls
Size B. 34 inch chest . . . . .	19 balls
Size C. 37 inch chest . . . . .	21 balls

Length from top of shoulder—  
**Size A**, 21ins. **Size B**, 23 ins.  
**Size C**, 24½ ins.

Length of sleeve seam—  
**Size A**, 18 ins. **Size B**, 20 ins.  
**Size C**, 20 ins.  
 (or length desired).

Patons Beehive Knitting Needles  
 or Queen Bee Knitting Needles,  
 1 pair each Nos. 7 and 10,  
 measured on a Beehive Needle  
 Gauge, or whichever needle  
 size you require to produce  
 the tension given below.

A Cable Needle.

ABBREVIATIONS: See page 19.  
 C.2B = cable 2 back as fol-  
 lows—slip next 2 sts. on to  
 cable needle and leave at back  
 of work, K.2, then K.2 from  
 cable needle. C.2F = work as  
 given for C.2B, leaving sts. on  
 cable needle at front of work  
 instead of back.

TENSION: 11½ stitches to 2  
 inches in width, measured over  
 plain smooth fabric. Check  
 tension—see page 2.

*Instructions are for smallest size  
 A. Larger sizes B and C are  
 shown thus [B—...] [C—...].  
 Where one set of figures is  
 given, this applies to all sizes.*

**THE FRONT**—Using No. 10  
 Needles, cast on 95 [B—105]  
 [C—115] stitches.

**1st row.**—K.2, \* P.1, K.1, rep.  
 from \* to last st., K.1.

**2nd row.**—K.1, \* P.1, K.1, rep.  
 from \* to end of row.

Rep. 1st and 2nd rows ten times.  
 Using No. 7 Needles, proceed as  
 follows:—

\*\* **1st row.**—K.39 [B—K.44]  
 [C—K.49], P.2, K.4, P.2, K.1,  
 P.2, K.4, P.2, K.39 [B—K.44]  
 [C—K.49].

**2nd row.**—P.39 [B—P.44] [C—49], K.2, P.4,  
 K.2, P.1, K.2, P.4, K.2, P.39 [B—P.44] [C—P.49].

Rep. 1st and 2nd rows once.

**5th row.**—K.39 [B—K.44] [C—K.49], P.2, C.2B.,  
 P.2, K.1, P.2, C.2F., P.2, K.39 [B—K.44] [C—K.49].

**6th row.**—As 2nd row.

Rep. 1st and 2nd rows once. \*\*

Work in patt. as given from \*\* to \*\* until work  
 measures 13½ [B—15] [C—16] ins. from commence-  
 ment, finishing so that right side of work will be  
 facing when working next row.



Keeping continuity of patt. panel, shape armholes by casting off 5 [B—6] [C—7] sts. at beg. of next 2 rows.

**Next row.**—K.2 tog., K.32 [B—K.36] [C—K.40], patt.8, turn.

Proceed on these sts. as follows:—

**1st and 3rd rows.**—Patt.8, purl to end of row.

**2nd row.**—K.2 tog., knit to last 11 sts., K.2 tog., K.1, patt.8.

**4th row.**—K. 2 tog., knit to last 8 sts., patt.8.

Continue dec. once at neck edge (inside border) in 2nd row and every following 4th row thirteen [B—fourteen] [C—fifteen] times, whilst at same time dec. once at armhole edge in every alt. row twice [B—three times] [C—four times]. (22 [B—24] [C—26] sts.)

Work 2 rows without shaping.

Shape shoulder as follows:—

**1st row.**—Work to last 7 [B—8] [C—9] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 14 [B—16] [C—18] sts., turn.

**4th row.**—As 2nd row. Cast off.

Slip next st. on to a length of wool and leave.

Join in wool at neck edge and work on remaining sts. as follows:—

**1st row.**—Patt.8, knit to last 2 sts., K.2 tog.

**2nd row.**—Purl to last 8 sts., patt.8.

**3rd row.**—Patt.8, K.1, slip 1, K.1, p.s.s.o., knit to last 2 sts., K.2 tog.

**4th row.**—As 2nd row.

Work to correspond with other side, working shapings at opposite ends of needle.

**THE BACK**—Using No. 10 Needles, cast on 95 [B—105] [C—115] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to last st., K.1.

**2nd row.**—K.1, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st and 2nd rows ten times.

Using No. 7 Needles, proceed as follows:—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 13½ [B—15] [C—16] ins. from commencement, finishing so that right side of work will be facing when working next row.

Shape armholes by casting off 5 [B—6] [C—7] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 75 [B—81] [C—87] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

**1st and 2nd rows.**—Work to last 7 [B—8] [C—9] sts., turn.

**3rd and 4th rows.**—Work to last 14 [B—16] [C—18] sts., turn.

**5th and 6th rows.**—Work to last 22 [B—24] [C—26] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 10 Needles, cast on 44 [B—50] [C—56] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row nineteen times.

Using No. 7 Needles, proceed as follows.

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 62 [B—70] [C—78] sts. on needle, then at each end of every following 6th row until there are 72 [B—80] [C—88] sts. on needle.

Continue without shaping until side edge measures 18 [B—20] [C—20] ins. (or length desired) from commencement.

Cast off 2 sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 30 [B—36] [C—42] sts. remain, then in every row until 20 [B—22] [C—24] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back stitch seam, sew up right shoulder seam. With right side of work facing and using No. 10 Needles, knit up 57 [B—61] [C—65] sts. along left side of neck (knitting up last st. from length of wool), 56 [B—60] [C—64] sts. along right side of neck, and 31 [B—33] [C—35] sts. across back of neck. (144 [B—154] [C—164] sts.)

**1st row.**—\* K.1, P.1, rep. from \* to end of row.

Work 8 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre st. plain on right side of work.

Work 1 row without shaping.

Work 8 rows in rib, inc. once at each side of centre point of "V" in every row and keeping centre st. plain on right side of work.

Cast off in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Fold neckband in half on to wrong side and slip stitch lightly in position.

Finally, press all seams.



# A Highland Classic with Firm Double Neckband

## 'STROLLER'

IN THREE SIZES — WITH "V" OR ROUND NECK

### PATONS HIGHLAND SPORTS WOOL

ALL PURE WOOL MOTHPROOFED

or

### PATONS CONFETTI FLECKS

ALL PURE WOOL MOTHPROOFED

**Size A.** To fit 32 inch chest . . . . . 13 balls  
**Size B.** To fit 35 inch chest . . . . . 16 balls  
**Size C.** To fit 38 inch chest . . . . . 18 balls

Actual measurement of garment is approx. 2 inches larger than above measurements.

Length from top of shoulder—

**Size A,** 22ins. **Size B,** 23½ ins. **Size C,** 25 ins.

Length of sleeve seam—

**Size A,** 17½ ins. **Size B,** 19 ins. **Size C,** 20 ins.  
 (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

Pullover with Round Neck:

Two Stitch Holders.

ABBREVIATIONS: See page 19.

TENSION: 12½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension — see page 2.

*Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.*

## THE PULLOVER WITH "V" NECK:

**THE FRONT**—Using No. 12 Needles, cast on 106 [B—116] [C—126] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row nineteen times.

Using No. 9 Needles, proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 14½ [B—15½] [C—16½] ins. from commencement, ending with a purl row. \*\*

Shape armholes and neck as follows—

**1st and 2nd rows.**—Cast off 5 [B—7] [C—8] sts., work to end of row.

**3rd row.**—K.2 tog., K.46 [B—K.49] [C—K.53], turn. Continue on these 47 [B—50] [C—54] sts., dec. once at armhole edge in every alt. row five times, whilst

at same time dec. once at neck edge in every following 4th row twice. (40 [B—43] [C—47] sts.)

Continue in plain smooth fabric, dec. once at neck edge only in 2nd and every following 4th row until 27 [B—29] [C—32] sts. remain.

Work 2 [B—4] [C—2] rows without shaping.

Shape shoulder as follows—

**1st row.**—Work to last 9 [B—10] [C—11] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 18 [B—20] [C—22] sts., turn.

**4th row.**—Work to end of row. Cast off

Join in wool at centre front and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Front to \*\*.

Shape armholes by casting off 5 [B—7] [C—8] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 84 [B—90] [C—98] sts. remain.

Continue in plain smooth fabric without shaping until armholes measure same as Front armholes, ending with a purl row.

Shape shoulders as follows—

**1st and 2nd rows.**—Work to last 9 [B—10] [C—11] sts., turn.

**3rd and 4th rows.**—Work to last 18 [B—20] [C—22] sts., turn.

**5th and 6th rows.**—Work to last 27 [B—29] [C—32] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 50 [B—54] [C—58] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row twenty times.

**22nd row.**—Rib 5 [B—rib 4] [C—rib 6], \* inc. once in next st., rib 7 [B—rib 8] [C—rib 8], rep. from \* to last 5 [B—5] [C—7] sts., inc. once in next st., rib 4 [B—rib 4] [C—rib 6]. (56 [B—60] [C—64] sts.)

Using No. 9 Needles, proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.


Continue in plain smooth fabric, inc. once at each end of needle in 9th and every following 8th [B—10th] [C—10th] row until there are 82 [B—68] [C—72] sts. on needle [Sizes B and C only—then at each end of every following 8th row until there are [B—88] [C—94] sts. on needle.]

**All Sizes—**

Continue in plain smooth fabric without shaping until side edge measures 17½ [B—19] [C—20] ins. (or length desired) from commencement, ending with a purl row.

Cast off 3 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row





## THE PULLOVER WITH ROUND NECK:

**THE FRONT**—Work as given for Front of Pullover with “V” Neck to \*\*.

Shape armholes by casting off 5 [B—7] [C—8] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 84 [B—90] [C—98] sts. remain.

Work 27 [B—31] [C—33] rows without shaping.

**Next row.**—K.35 [B—K.37] [C—K.40], turn.

Continue on these 35 [B—37] [C—40] sts., dec. once at neck edge in every alt. row until 27 [B—29] [C—32] sts. remain.

Work 8 [B—10] [C—10] rows without shaping.

Shape shoulder as given for Front of Pullover with “V” Neck.

Slip next 14 [B—16] [C—18] sts. on a stitch holder.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Back of Pullover with “V” Neck, but leaving 30 [B—32] [C—34] sts. across back of neck on a stitch holder instead of casting off.

until 44 [B—52] [C—50] sts. remain, then at each end of every row until 18 [B—20] [C—20] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back stitch seam, sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 57 [B—63] [C—65] sts. along left side of neck (knitting up last st. from centre front), 56 [B—62] [C—64] sts. along right side of neck, and 29 [B—31] [C—33] sts. across back of neck. (142 [B—156] [C—162] sts.)

**1st row.**—\* K.1, P.1, rep. from \* to end of row.

Work 9 rows in rib, dec. once at each side of centre point of “V” in every row (keeping centre st. plain on right side of work).

Work 1 row without shaping.

Work 9 rows in rib, inc. once at each side of centre point of “V” in every row (keeping centre st. plain on right side of work). Cast off loosely in rib.

**THE SLEEVES**—Work as given for Sleeves of Pullover “V” Neck.

**THE NECKBAND**—Using a fine back stitch seam, sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 104 [B—112] [C—116] sts. evenly round neck (including sts. from stitch holders).

**1st row.**—\*K.1, P.1, rep. from\* to end of row.

Rep. 1st row nineteen times. Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Fold neckband in half on to wrong side and slip stitch lightly in position. Finally, press all seams.

# Cables Again! This time in a Raglan

**'ANTON'**  
IN THREE SIZES — WITH "V" OR ROUND NECK  
**PATONS DOUBLE QUICK KNITTING**  
ALL PURE WOOL MOTHPROOFED

Size A. 33 inch chest . . . . .	18 balls
Size B. 36 inch chest . . . . .	19 balls
Size C. 39 inch chest . . . . .	21 balls

Length from top of shoulder—

Size A, 22½ ins. Size B, 24 ins. Size C, 25½ ins.

Length of sleeve seam—

Size A, 18 ins. Size B, 19½ ins. Size C, 20 ins.  
(or length desired).

Patons Beehive Knitting Needles, 1 pair each Nos. 8 and 10, 1 set of four No. 10 (12 inch) measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

A Cable Needle.

Pullover with Round Neck:

Two Stitch Holders.

**ABBREVIATIONS:** See page 19. "Cable 4" = Slip next 4 sts. on to cable needle and leave at front of work, K.4, then knit 4 sts. from cable needle.

**TENSION:** 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension — see page 2.

*Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.*

## THE PULLOVER WITH "V" NECK:

**THE FRONT**—Using No. 10 Needles, cast on 108 [B—116] [C—124] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row fifteen times.

Using No. 8 Needles, proceed as follows—

**\*\* 1st row.**—K.32 [B—K.36] [C—K.40], (P.2, K.8, P.2, K.4) twice, P.2 K.8, P.2, K.32 [B—K.36] [C—K.40].

**2nd and alt. rows.**—Purl.

**3rd row.**—As 1st row.

**5th row.**—K.32 [B—K.36] [C—K.40], (P.2, "Cable 4", P.2, K.4) twice, P.2, "Cable 4", P.2, K.32 [B—K.36] [C—K.40].

**7th row.**—As 1st row. **9th row.**—As 1st row.

**10th row.**—As 2nd row. \*\*

Continue in patt. as given from \*\* to \*\* until work measures 14½ [B—15½] [C—16½] ins. from commencement, ending with a purl row. \*\*\*

Shape armholes and neck as follows—

**1st and 2nd rows.**—Cast off 2 sts., patt. to end of row.

**3rd row.**—K.2 tog., work 48 [B—52] [C—56] sts. in patt., K.2 tog., turn.

Continue on these 50 [B—54] [C—58] sts., dec. once at armhole edge in every alt. row twenty-four [B—twenty-six] [C—twenty-eight] times, whilst at same time dec. once at neck edge in every following 4th row twelve [B—thirteen] [C—fourteen] times. (14 [B—15] [C—16] sts.)

Dec. once at armhole edge in every alt. row six [B—five] [C—four] times, whilst at same time dec. once at neck edge in every following 4th row four times [B—three times] [C—twice]. (4 [B—7] [C—10] sts.)

**[Sizes B and C only.]**—Dec. once at armhole edge in every row [B—twice] [C—four times], whilst at same time dec. once at neck edge in [B—following 4th row] [C—next and following 4th row]. (4 sts.).

**All Sizes.**—Dec. once at armhole edge in next 2 rows. (2 sts.) P.2 tog. Fasten off.

Join in wool at centre front and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Front to \*\*\*.

Shape armholes by casting off 2sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 42 [B—48] [C—54] sts. remain, then at each end of every row until 36 [B—38] [C—40] sts. remain. Cast off.

**THE SLEEVES**—Using No. 10 Needles, cast on 42 [B—46] [C—50] stitches.

**1st row.**—K. 2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row sixteen times.

**18th row.**—Rib 3 [B—rib 5] [C—rib 3], \* inc. once in next st., rib 4 [B—rib 4] [C—rib 5], rep. from \* to last 4 [B—6] [C—5] sts., inc. once in next st., rib 3 [B—rib 5] [C—rib 4]. (50 [B—54] [C—58] sts.)

Using No. 8 Needles, proceed as follows—

**\*\* 1st row.**—K.19 [B—K.21] [C—K.23], P.2, K.8, P.2, K.19 [B—K.21] [C—K.23].

**2nd and alt. rows.**—Purl.

**3rd row.**—As 1st row.

**5th row.**—K.19 [B—K.21] [C—K.23], P.2, "Cable 4", P.2, K.19 [B—K.21] [C—K.23].

**7th row.**—As 1st row.

**9th row.**—As 1st row.

**10th row.**—As 2nd row. \*\*

Keeping continuity of patt. as given from \*\* to \*\*, inc. once at each end of needle in next and every following 8th row until there are 68 [B—84] [C—88] sts. on needle **Size A only**—then at each end of every following 6th row until there are 80 sts. on needle.



Continue in patt. without shaping until side edge measures 18 [B—19½] [C—20] ins. (or length desired) from commencement, ending with a purl row.

Cast off 2 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 12 sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back stitch seam, sew sleeves to Front and Back, noting that tops of sleeves form part of neckline.

With right side of work facing and using set of four No. 10 Needles, knit up 63 [B—67] [C—71] sts. across top of left sleeve and along left side of neck (knitting up last st. from centre front), 62 [B—66] [C—70] sts. along right side of neck and across top of right sleeve, and 35 [B—37] [C—39] sts. across back of neck. (160 [B—170] [C—180] sts.)

**1st round.**—\* K.1, P.1, rep. from \* to end of round.

Work 8 rounds in rib, dec. once at each side of centre

point of “V” in every round and keeping centre st. plain.

Work 1 round in rib.

Work 8 rounds in rib, inc. once at each side of centre point of “V” in every round and keeping centre st. plain. Cast off in rib.

## THE PULLOVER WITH ROUND NECK:

**THE FRONT**—Work as given for Front of Pullover with “V” Neck to \*\*\*.

Shape armholes as follows—

Cast off 2 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 64 [B—68] [C—72] sts. remain.

Work 1 row without shaping.

**Next row.**—K.2 tog., patt. 21 [B—patt. 23] [C—patt. 24], turn.

Continue on these 22 [B—24] [C—25] sts., dec. once at armhole edge in every alt. row ten [B—nine] [C—eight] times, whilst at same time dec. once at neck edge in every alt. row eight [B—nine] [C—eight] times. (4 [B—6] [C—9] sts.)

**Sizes A and B only.**—Dec. once at armhole edge in every row until 2 sts. remain.

[**Size C only.**—Dec. once at armhole edge in every row six times, whilst at same time dec. once at neck edge in 2nd row. (2 sts.)]

**All Sizes.**—P. 2 tog., Fasten off.

Slip next 18 [B—18] [C—20] sts. on to a stitch holder and leave. Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Back of Pullover with “V” Neck but leaving sts. across back of neck on a stitch holder instead of casting off.

**THE SLEEVES**—Work as given for Sleeves of Pullover with “V” Neck.

**THE NECKBAND**—Using a fine back stitch seam, sew sleeves to Front and Back, noting that tops of sleeves form part of neckline.


With right side of work facing and using set of four No. 10 Needles, knit up 112 [B—114] [C—118] sts. evenly round neck (including sts. from stitch holders).

**1st round.**—\* K.1, P.1, rep. from \* to end of round.

Rep. 1st round seventeen times.

Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half on to wrong side and slip stitch lightly in position. Finally, press all seams.



## A Firm Fabric Stitch

*Cardigans are back  
in Fashion for Young Men*

'SENIOR CLASS'

IN THREE SIZES

**PATONS BLUEBELL CREPE**

ALL PURE WOOL MOTHPROOFED

Size A. 32 inch chest . . . . .	16 balls
Size B. 35 inch chest . . . . .	18 balls
Size C. 38 inch chest . . . . .	20 balls

Length from top of shoulder—

Size A, 22 ins. Size B, 23½ ins. Size C, 25 ins.

Length of sleeve seam—

Size A, 17½ ins. Size B, 19 ins. Size C, 20 ins.  
(or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

Three Stitch Holders.

Four Medium Buttons.

ABBREVIATIONS: See page 19. 0. = No rows.

TENSION: 13½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension — see page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

**THE POCKETS (All Sizes)**—Using No. 9 Needles, cast on 33 stitches.

1st row.—Knit. 2nd row.—Purl.

Rep. 1st and 2nd rows twelve times.

Slip sts. on a stitch holder and leave.


Work another Pocket in same manner.

**THE LEFT FRONT**—Using No. 12 Needles, cast on 67 [B—73] [C—79] stitches.

1st row.—K.1, \* K.1, P.1, rep. from \* to last 2 sts., K.2.

2nd row.—K.1, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st and 2nd rows seven times.



'SENIOR CLASS'

Using No. 9 Needles, proceed as follows—

\*\* 1st row.—\* K.1, P.1, rep. from \* to last st., K.1.

2nd row.—\* P.1, K.1, rep. from \* to last st., P.1.

3rd row.—Knit.

4th and 5th rows.—As 1st and 2nd rows.

6th row.—Purl. \*\*

Rep. from \*\* to \*\* three times, then 1st and 2nd rows once.

Place Pocket as follows—

Next row.—K.50 [B—K.53] [C—K.56], place last 33 of these sts. just worked on a stitch holder, K.17 [B—K.20] [C—K.23].

Next row.—Patt. 17 [B—Patt. 20] [C—Patt. 23]. slip a set of pocket sts. on to left hand needle (wrong side of work facing), patt. across these sts. to end of row.

Work 26 [B—28] [C—32] rows in patt.

[Continued on page 16]



**IT'S THE JET AGE!**



## Saddle Shoulder

*Plain or Striped*

Length from top of shoulder—

**Size A**, 22 ins. **Size B**, 23½ ins. **Size C**, 25 ins.

Length of sleeve seam—

**Size A**, 17½ ins. **Size B**, 19 ins. **Size C**, 20 ins..

Patons Beehive Knitting Needles, 1 pair each Nos. 4 and 8, 1 set of four No. 8 (12 inch), measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension below.

Pullover with Round Neck:

Two Stitch Holders.

**ABBREVIATIONS:** See page 19. M. = Main Colour. C.1 = 1st Contrasting Colour. C.2 = 2nd Contrasting Colour.

**TENSION:** 8½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension — see page 2.

*Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.*

### THE PULLOVER WITH "V" NECK:

**THE BACK**—Using No. 8 Needles and M., cast on 72 [B—78] [C—84] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row thirteen times.

Using No. 4 Needles and M., proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows eleven [B—fourteen] [C—seventeen] times.

\*\* Join in C.1 and proceed as follows—

**1st row.**—Using C.1, knit.

**2nd row.**—Using C.1, purl.

**3rd row.**—Using M., knit.

**4th row.**—Using M., purl.

Rep. rows 1 to 4 incl. twice. Break off M. and C.1. Join in C.2.

**13th row.**—Using C.2, knit.

**14th row.**—Using C.2, purl.

Rep. 13th and 14th rows eight times.

Break off C.2.

Rep. rows 1 to 4 incl. three times.

Break off M. \*\*\*

Shape for armholes as follows—

Using C.1, cast off 4 [B—5] [C—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in every row until 56 [B—60] [C—64] sts. remain.

*[Continued on page 18]*

**'TONI'**

IN THREE SIZES — WITH "V" OR ROUND NECK

**PATONS JET TRIPLEKNIT**

ALL PURE WOOL MOTHPROOFED

**Size A. 32 inch chest—**

Main Colour .....	10 balls
1st Contrasting Colour .....	9 balls
2nd Contrasting Colour .....	3 balls

**Size B. 35 inch chest—**

Main Colour .....	11 balls
1st Contrasting Colour .....	10 balls
2nd Contrasting Colour .....	4 balls

**Size C. 38 inch chest—**

Main Colour .....	12 balls
1st Contrasting Colour .....	11 balls
2nd Contrasting Colour .....	4 balls



# Figured in 4 ply for a Richly Surfaced Fabric

'DARBY'

IN THREE SIZES

## PATONS PATONYLE KNITTING YARN, 4 Ply (Green Label)

80% WOOL 20% NYLON MOTHPROOFED  
PATONISED (SHRINK-RESISTANT)

or

## PATONS BEEHIVE FINGERING, 4 Ply

ALL PURE WOOL MOTHPROOFED  
PATONISED (SHRINK-RESISTANT)

Size A. 30 inch chest . . . . .	11 balls
Size B. 33 inch chest . . . . .	13 balls
Size C. 36 inch chest . . . . .	16 balls

Length from top of shoulder—

Size A, 20 ins. Size B, 22½ ins. Size C, 24 ins.

Length of sleeve seam—

Size A, 16½ ins. Size B, 18 ins. Size C, 19½ ins.  
(or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

A Cable Needle.

ABBREVIATIONS: See page 19. "Cable 3"—Work across next 6 sts. as follows: Slip next 3 sts. on to cable needle and leave at front of work, knit 3 sts., then knit 3 sts. from cable needle.

TENSION: 7½ stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE FRONT AND BACK (both alike)—Using No. 12 Needles, cast on 148 [B—160] [C—172] stitches.

1st row.—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row twenty-five times, inc. once at end of needle in last row.

Using No. 10 Needles, proceed as follows—

Size A only—\*\* 1st row.—(K.2, P.2) twice, K.2, [P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (K.2, P.2) four times, K.2] twice, P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (K.2, P.2) twice, K.2.

2nd row.—(P.2, K.2) twice, P.2, K.2, P.6, K.2, (P.1, K.1) five times, P.1, [K.2, P.6, K.2, (P.2, K.2) four times, P.2, K.2, P.6, K.2, (P.1, K.1) five times, P.1] twice, K.2, P.6, K.2, (P.2, K.2) twice, P.2.

3rd row.—(P.2, K.2) twice, P.2, [P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (P.2, K.2) four times, P.2] twice, P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (P.2, K.2) twice, P.2.

4th row.—(K.2, P.2) twice, K.4, P.6, K.2, (P.1, K.1) five times, P.1, [K.2, P.6, K.2, (K.2, P.2) four times, K.4, P.6, K.2, (P.1, K.1) five times, P.1] twice, K.2, P.6, K.2, (K.2, P.2) twice, K.2.

5th row.—(K.2, P.2) twice, K.2, [P.2, "Cable 3", P.2, (K.1, P.1) five times, K.1, P.2, "Cable 3", P.2, (K.2, P.2) four times, K.2] twice, P.2, "Cable 3", P.2, (K.1, P.1) five times, K.1, P.2, "Cable 3", P.2, (K.2, P.2) twice, K.2.

6th row.—As 2nd row.

7th and 8th rows.—As 3rd and 4th rows. \*\*

[Size B only—\*\* 1st row.—(P.2, K.2) three times, [P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (K.2, P.2) five times, K.2] twice, P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (K.2, P.2) three times.

2nd row.—(K.2, P.2) three times, K.2, P.6, K.2, (P.1, K.1) five times, P.1, [K.2, P.6, K.2, (P.2, K.2) five times, P.2, K.2, P.6, K.2, (P.1, K.1) five times, P.1] twice, K.2, P.6, K.2, (P.2, K.2) three times.

3rd row.—(K.2, P.2) three times, [P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (P.2, K.2) five times, P.2] twice, P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (P.2, K.2) three times.

4th row.—(P.2, K.2) three times, K.2, P.6, K.2, (P.1, K.1) five times, P.1 [K.2, P.6, K.2, (K.2, P.2) five times, K.4, P.6, K.2, (P.1, K.1) five times, P.1] twice, K.2, P.6, K.2, (K.2, P.2) three times.

5th row.—(P.2, K.2) three times, [P.2, "Cable 3", P.2, (K.1, P.1) five times, K.1, P.2, "Cable 3", P.2, (K.2, P.2) five times, K.2] twice, P.2, "Cable 3", P.2, (K.1, P.1) five times, K.1, P.2, "Cable 3", P.2, (K.2, P.2) three times.

6th row.—As 2nd row.

7th and 8th rows.—As 3rd and 4th rows. \*\*]

[Size C only—\*\* 1st row.—(K.2, P.2) three times, K.2, [P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (K.2, P.2) six times, K.2] twice, P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (K.2, P.2) three times, K.2.

**2nd row.**—(P.2, K.2) three times, P.2, K.2, P.6, K.2, (P.1, K.1) five times, P.1, [K.2, P.6, K.2, (P.2, K.2) six times, P.2, K.2, P.6, K.2, (P.1, K.1) five times, P.1] twice, K.2, P.6, K.2, (P.2, K.2) three times, P.2.

**3rd row.**—(P.2, K.2) three times, P.2, [P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (P.2, K.2) six times, P.2] twice, P.2, K.6, P.2, (K.1, P.1) five times, K.1, P.2, K.6, P.2, (P.2, K.2) three times, P.2.

**4th row.**—(K.2, P.2) three times, K.4, P.6, K.2, (P.1, K.1) five times, P.1, [K.2, P.6, K.2, (K.2, P.2) six times, K.4, P.6, K.2, (P.1, K.1) five times, P.1] twice, K.2, P.6, K.2, (K.2, P.2) three times, K.2.

**5th row.**—(K.2, P.2) three times, K.2, [P.2, "Cable 3", P.2, (K.1, P.1) five times, K.1, P.2, "Cable 3", P.2, (K.2, P.2) six times, K.2] twice, P.2, "Cable 3", P.2, (K.1, P.1), five times, K.1, P.2, "Cable 3", P.2, (K.2, P.2) three times, K.2.

**6th row.**—As 2nd row.

**7th and 8th rows.**—As 3rd and 4th rows. \*\*]

**All Sizes.**—Continue in patt. as given from \*\* to \*\* until work measures 13 [B—14½] [C—15½] ins. from commencement, ending so that right side of work will be facing when working next row.

Shape armholes by casting off 12 [B—13] [C—15] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 107 [B—115] [C—123] sts. remain.

Using No. 12 Needles, proceed as follows—

**1st row.**—Knit.

Rep. 1st row ten times, dec. once in centre of last row.

Using No. 10 Needles, proceed for Yoke as follows—

\*\*\* **1st row.**—\* K.2, P.2 rep. from \* to last 2 sts., K.2.

**2nd row.**—\* P.2, K.2, rep. from \* to last 2 sts., P.2.

**3rd row.**—As 2nd row.

**4th row.**—As 1st row. \*\*\*

Rep. from \*\*\* to \*\*\* twelve [B—fourteen] [C—sixteen] times, then 1st and 2nd rows once.

Shape shoulders by casting off 7 [B—7] [C—8] sts. at beg. of next 2 rows, 7 [B—8] [C—8] sts. at beg. of next 2 rows, then 7 [B—8] [C—9] sts. at beg. of next 2 rows. (64 [B—68] [C—72] sts.)

**Next row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. last row seven times. Cast off loosely in rib.

**THE SLEEVES.**—Using No. 12 Needles, cast on 60 [B—66] [C—72] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row twenty-six times.

**28th row.**—K.2 [B—rib 5] [C—rib 3], \* inc. once in next st., rib 5 [B—rib 4] [C—rib 4], rep. from \* to last 4 [B—6] [C—4] sts., inc. once in next st., rib 3 [B—rib 5] [C—rib 3]. (70 [B—78] [C—86] sts.)

Using No. 10 Needles, proceed as follows—

\*\* **1st row.**—\* K.2, P.2, rep. from \* to last 2 sts., K.2.

**2nd row.**—\* P.2, K.2, rep. from \* to last 2 sts., P.2.

**3rd row.**—As 2nd row.

**4th row.**—As 1st row. \*\*

[Continued on page 19]





'TIM'

IN THREE SIZES

**PATONS TOTEM KNITTING WOOL**

ALL PURE WOOL MOTHPROOFED

**Size A. To fit 30 inch chest—**

Main Colour . . . . . 15 balls  
 1st Contrasting Colour . . . . . 1 ball  
 2nd Contrasting Colour . . . . . 1 ball

**Size B. To fit 34 inch chest—**

Main Colour . . . . . 18 balls  
 1st Contrasting Colour . . . . . 1 ball  
 2nd Contrasting Colour . . . . . 1 ball

**Size C. To fit 38 inch chest—**

Main Colour . . . . . 21 balls  
 1st Contrasting Colour . . . . . 1 ball  
 2nd Contrasting Colour . . . . . 1 ball

Actual measurement of garment is approx. 3 ins.  
 larger than above measurements.

Length from top of shoulder—

Size A, 20 ins. Size B, 23 ins. Size C, 25 ins.

Length of sleeve seam—

Size A, 16½ ins. Size B, 18½ ins. Size C, 20 ins.  
(or length desired).

Patons Beehive Knitting Needles or Queen Bee  
 Knitting Needles, 1 pair each Nos. 7 and 10,  
 measured on a Beehive Needle Gauge, or whichever  
 needle size you require to produce the tension given  
 below.

One 18 [B—21] [C—23] inch Lightning Zipp  
 Fastener (Green Pack).

**ABBREVIATIONS:** See page 19. M.=Main  
 Colour. 1st C.=1st Contrasting Colour. 2nd C.  
 =2nd Contrasting Colour.

**TENSION:** 11½ stitches to 2 inches in width, measured  
 over plain smooth fabric. Check tension—see page 2.

*Instructions are for smallest size A. Larger sizes B and  
 C are shown thus [B—...] [C—...]. Where one  
 set of figures is given, this applies to all sizes.*

**THE LEFT FRONT—**Using No. 10 Needles and M.,  
 cast on 47 [B—53] [C—59] stitches.

**1st row.**—Using M., K.2, \* P.1, K.1, rep. from \* to  
 last st., K.1.

**2nd row.**—Using M., \* K.1, P.1, rep. from \* to last  
 st., K.1.

**3rd row.**—Using 1st C., knit.

**4th row.**—Using 1st C., \* K.1, P.1, rep. \* to last  
 st., K.1.

Break off 1st C.

**5th row.**—Using M., knit.

**6th row.**—As 2nd row.

**7th row.**—Using 2nd C., knit.

# Raglan Zipper in Totem

**8th row.**—Using 2nd C., \* K.1, P.1, rep. from \* to  
 last st., K.1.

**9th row.**—Using 2nd C., K.2, \* P.1, K.1, rep. from \*  
 to last st., K.1.

**10th row.**—As 8th row. Break off 2nd C.

Rep. rows 5 and 6 once, then rows 3 to 6 incl. once.  
 Break off 1st C.

Using No. 7 Needles and M., proceed as follows:—

**1st row.**—Knit.

**2nd row.**—K.1, purl to end of row.

Continue in plain smooth fabric until work measures  
 12½ [B—14½] [C—16] ins. from commencement,  
 ending with a purl row.

Cast off 2 sts. at beg of next row, then dec. once at  
 armhole edge in every alt. row until 27 [B—30]  
 [C—34] sts. remain.

Cast off 6 [B—7] [C—7] sts. at beg. of next row,  
 then dec. once at each end of needle in next and  
 every alt. row until 9 [B—9] [C—17] sts. remain.

**[Size C only]**—Dec. once at armhole edge in every row  
 six times, whilst at same time dec. once at front edge  
 in every alt. row three times. (8 sts.)

**All Sizes**—Continue in plain smooth fabric dec. once  
 at armhole edge in 2nd and every row [B—2nd and  
 every row] [C—every row] until 2 sts. remain.  
 P.2 tog. Fasten off.

**THE RIGHT FRONT**—Work to correspond with  
 Left Front, working shapings at opposite ends of  
 needle.

**THE BACK**—Using No. 10 Needles and M., cast on  
 94 [B—106] [C—118] stitches.

**\*\* 1st row.**—Using M., K.2, \* P.1, K.1, rep. from \*  
 to end of row.

**2nd row.**—As 1st row.

**3rd row.**—Using 1st C., knit.

**4th row.**—Using 1st C., K.2, \* P.1, K.1, rep. from \*  
 to end of row.

Break off 1st C.

**5th row.**—Using M., knit.

**6th row.**—As 1st row.

**7th row.**—Using 2nd C., knit.

**8th row.**—Using 2nd C., K.2, \* P.1, K.1, rep. from \*  
 to end of row.

**9th row.**—As 8th row.

**10th row.**—As 8th row. Break off 2nd C.

Rep. rows 5 and 6 once, then rows 3 to 6 incl. once.  
 Break off 1st C.

Using No. 7 Needles and M., proceed as follows—

**1st row.**—Knit.

**2nd row.**—Purl \*\*

Continue in plain smooth fabric until work measures  
 12½ [B—14½] [C—16] ins. from commencement,  
 ending with a purl row.

[Continued on page 19]





P&B

'TIM'

'EDGAR'

## A Totem Classic with Set in Sleeves



'EDGAR'

IN THREE SIZES — WITH "V" OR ROUND NECK

**PATONS TOTEM KNITTING WOOL**

ALL PURE WOOL · MOTHPROOFED

Size A. To fit 32 inch chest . . . . . 18 balls  
Size B. To fit 35 inch chest . . . . . 21 balls  
Size C. To fit 38 inch chest . . . . . 23 balls

Actual measurement of garment is approx. 2 inches larger than above measurements.

Length from top of shoulder—

Size A, 22 ins. Size B, 23½ ins. Size C, 25 ins.

Length of sleeve seam—

Size A, 17½ ins. Size B, 19 ins. Size C, 20 ins.  
(or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 7 and 10 (12 inch), measured on a Beehive Needle Gauge, or whichever needle size you require to produce the tension given below.

Pullover with Round Neck: Two Stitch Holders.

ABBREVIATIONS: See page 19.

TENSION: 11½ stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

*Instructions are for smallest size A. Larger sizes B and C are shown thus [B—. . .] [C—. . .]. Where one set of figures is given, this applies to all sizes.*

### THE PULLOVER WITH "V" NECK:

**THE FRONT**—Using No. 10 Needles, cast on 98 [B—106] [C—116] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row.

Rep. 1st row nineteen times, inc. once at end of needle in last row for size B only.

Using No. 7 Needles, proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 14½ [B—15½] [C—16½] ins. from commencement, ending with a purl row.

Cast off 5 [B—6] [C—8] sts. at beg. of next 2 rows. \*\*

Shape for neck as follows—

**Sizes A and C only**—Next row.—K.2 tog., K.42 [C—K.48], turn.

[Size B only]—Next row.—K.2 tog., K.44, K.2 tog., turn.]

**All Sizes**—Continue on these 43 [B—46] [C—49] sts., dec. once at armhole edge in every alt. row four times, whilst at same time dec. once at neck edge in 2nd [B—4th] [C—2nd] row and following 4th row. (37 [B—40] [C—43] sts.)

Continue dec. at neck edge only in every following 4th row from previous dec. until 25 [B—27] [C—29] sts. remain.

Work 2 rows without shaping.

Shape shoulder as follows—

**1st row.**—Work to last 8 [B—9] [C—10] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 16 [B—18] [C—20] sts., turn.

**4th row.**—As 2nd row. Cast off.

Join in wool at centre front and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front in size B.

**THE BACK**—Work as given for Front to \*\*.

Continue in plain smooth fabric, dec. once at each end of needle in next and every alt. row until 78 [B—85] [C—90] sts. remain.

Continue in plain smooth fabric until armholes measure same as Front armholes, ending with a purl row.

Shape shoulders as follows—

**1st and 2nd rows.**—Work to last 8 [B—9] [C—10] sts., turn.

**3rd and 4th rows.**—Work to last 16 [B—18] [C—20] sts., turn.

[Continued overleaf]

**'EDGAR'** (Continued from page 15)

**5th and 6th rows.**—Work to last 25 [B—27] [C—29] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 10 Needles, cast on 42 [B—46] [C—50] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row twenty times.

**22nd row.**—Rib 3 [B—rib 5] [C—K.2], \* inc. once in next st., rib 3 [B—rib 3] [C—rib 4], rep. from \* to last 3 [B—5] [C—3] sts., inc. once in next st., rib 2 [B—rib 4] [C—rib 2]. (52 [B—56] [C—60] sts.)

Using No. 7 Needles, proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in 7th and every following 8th row until there are 64 [B—80] [C—86] sts. on needle, then at each end of every following 6th row until there are 80 [B—84] [C—90] sts. on needle.

Continue in plain smooth fabric without shaping until side edge measures  $17\frac{1}{2}$  [B—19] [C—20] ins. (or length desired) from commencement, ending with a purl row.

Cast off 2sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 38 [B—38] [C—44] sts. remain, then at each end of every row until 18 [B—18] [C—20] sts. remain.

Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 10 Needles, knit up 55 [B—61] [C—63] sts. along left side of neck (knitting up last st. from centre front), 54 [B—60] [C—62] sts. along right side of neck, and 27 [B—29] [C—31] sts. across back of neck. (136 [B—150] [C—156] sts.)

**1st row.**—\* K.1, P.1, rep. from \* to end of row. Work 8 rows in rib, dec. once at each side of centre point of "V" in every row, keeping centre st. plain on right side of work.

Work 1 row without shaping.

Work 8 rows in rib, inc. once at each side of centre point of "V" in every row, keeping centre st. plain on right side of work. Cast off loosely in rib.

**THE PULLOVER WITH ROUND NECK:**

**THE FRONT**—Work as given for Front of Pullover with "V" Neck to \*\*.

Continue in plain smooth fabric, dec. once at each end of needle in next and every alt. row until 78 [B—85] [C—90] sts. remain.

Work 25 [B—29] [C—31] rows without shaping.

Shape neck as follows:—

**Next row.**—K.32 [B—K.35] [C—K.37], turn.

Continue in plain smooth fabric on these 32 [B—35] [C—37] sts., dec. once at neck edge in every alt. row until 25 [B—27] [C—29] sts. remain.

Work 8 rows without shaping.

Shape shoulder as given for Pullover with "V" Neck. Slip next 14 [B—15] [C—16] sts. on to a stitch holder.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE BACK**—Work as given for Back of Pullover with "V" Neck to completion of shoulder shaping.

**8th row.**—Cast off 25 [B—27] [C—29] sts., P.28 [B—P.31] [C—P.32], cast off 25 [B—27] [C—29] sts.

Slip remaining sts. on to a stitch holder.

**THE SLEEVES**—Work as given for Sleeves of Pullover with "V" Neck.

**THE NECKBAND**—Using a fine back stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 10 Needles, knit up 100 [B—108] [C—110] sts. evenly round neck (including sts. from stitch holders).

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row seventeen times. Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Fold neckband in half on to wrong side and slip stitch lightly in position. Finally, press all seams.

**'SENIOR CLASS'** (Continued from page 10)

Keeping continuity of patt., dec. once at end of needle (front edge) in next and every following 8th row until 57 [B—63] [C—67] sts. remain.

Work 3 [B—7] [C—1] row/s in patt. without shaping.

Shape armhole as follows—

**Sizes A and C only.**—**Next row.**—Cast off 7 [C—10] sts., patt. to end of row.

**'SENIOR CLASS'** (Continued from page 16)

[Size B only—Next row.—Cast off 8 sts., patt. to last 2 sts., work 2 tog.].

**All Sizes**—Dec. once at beg. of needle (armhole edge) in every alt. row seven times, whilst at same time dec. once at front edge in 4th and following 8th row [B—8th row] [C—6th and following 8th row]. (41 [B—46] [C—48] sts.)

Keeping continuity of patt., dec. once at front edge only in 6th [B—2nd] [C—8th] row and every following 8th row until 34 [B—37] [C—40] sts. remain.

Work 4 [B—0] [C—4] rows without shaping.

Shape shoulder as follows—

**1st row.**—Work to last 11 [B—12] [C—13] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 22 [B—24] [C—26] sts., turn.

**4th row.**—Work to end of row. Cast off.

**THE RIGHT FRONT**—Work to correspond with Left Front, working shapings at opposite ends of needle.

**THE BACK**—Using No. 12 Needles, cast on 135 [B—147] [C—159] stitches.

**1st row.**—K.1, \* K.1, P.1, rep. from \* to last 2 sts., K.2.

**2nd row.**—K.1, \* P.1, K.1, rep. from \* to end of row. Rep. 1st and 2nd rows seven times.

Using No. 9 Needles, work as given from \*\* to \*\* for Left Front twenty-one [B—twenty-two] [C—twenty-five] times **Sizes A and B only**—then rows 1 to 4 incl. once.

Shape armholes by casting off 7 [B—8] [C—10] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 107 [B—117] [C—125] sts. remain.

Continue in patt. without shaping until armholes measure same as Front armholes, ending so that right side of work will be facing when working next row.

Shape shoulders as follows—

**1st and 2nd rows.**—Work to last 11 [B—12] [C—13] sts., turn.

**3rd and 4th rows.**—Work to last 22 [B—24] [C—26] sts., turn.

**5th and 6th rows.**—Work to last 34 [B—37] [C—40] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES**—Using No. 12 Needles, cast on 59 [B—63] [C—67] stitches.

**1st row.**—K.1, \* K.1, P.1, rep. from \* to last 2 sts., K.2.

**2nd row.**—K.1, \* P.1, K.1, rep. from \* to end of row. Rep. 1st and 2nd rows ten times, then 1st row once.

**24th row.**—Rib 5 [B—rib 4] [C—rib 6], \* inc. once in next st., rib 6 [B—rib 5] [C—rib 4], rep. from \* to last 5 [B—5] [C—6] sts., inc. once in next st., rib 4 [B—rib 4] [C—rib 5]. (67 [B—73] [C—79] sts.)

Using No. 9 Needles, work as given from \*\* to \*\* for Left Front once.

Keeping continuity of patt., inc. once at each end of needle in next [B—3rd] [C—3rd] and every following 6th [B—8th] [C—8th] row until there are 107 [B—87] [C—103] sts. on needle. [Sizes B and C only—then at each end of every following 6th row until there are [B—115] [C—121] sts. on needle.]

**All Sizes:**—

Continue in patt. without shaping until side edge measures 17½ [B—19] [C—20] ins. (or length desired) from commencement, ending so that right side of work will be facing when working next row.

Cast off 3 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 63 [B—61] [C—69] sts. remain, then at each end of every row until 25 [B—27] [C—27] sts. remain.

Cast off.

Work another Sleeve in same manner.

**THE POCKET TOPS (All Sizes)**—Slip set of Pocket Top sts. left on stitch holder on to a No. 12 Needle so that wrong side of work will be facing when working 1st row.

**Sizes A and C only—1st row.**—K.1, \* K.1, P.1, rep. from \* to last 2 sts., K.2.

**2nd row.**—\* K.1, P.1, rep. from \* to last st., K.1.

[Size B only—1st row.—\* K.1, P.1, rep. from \* to last st., K.1.

**2nd row.**—K.1, \* K.1, P.1, rep. from \* to last 2 sts., K.2.]

**All Sizes**—Rep. 1st and 2nd rows three times. Cast off in rib.

Work other Pocket Top in same manner.

**THE FRONT BAND**—Using No. 12 Needles, cast on 11 stitches.

**1st row.**—K.1, (K.1, P.1) four times, K.2.

**2nd row.**—K.1, (P.1, K.1) five times

**3rd row.**—K.2, P.1, K.1, cast off 3 sts., K.1, P.1, K.2.

**4th row.**—(K.1, P.1) twice, cast on 3 sts., (P.1, K.1) twice.

Continue in rib, working a buttonhole as before in every following 19th and 20th [B—19th and 20th] [C—21st and 22nd] rows from previous buttonhole three times (4 buttonholes in all).

Continue in rib until band is long enough to fit along fronts and across back of neck (slightly stretched). Cast off in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Slip stitch pockets lightly in position on wrong side and pocket tops in position on right side. Using a fine back stitch seam, sew front band in position. Sew on buttons to correspond with buttonholes. Finally, press all seams.



**'TONI'** (Continued from page 11)

Work 32 [B—34] [C—36] rows without shaping.  
Shape saddle shoulders as follows—

**1st row.**—K.2 tog., knit to end of row.

**2nd row.**—P.2 tog., purl to last 2 sts., P.2 tog.

**3rd row.**—Cast off 15 [B—17] [C—18] sts., knit to last 2 sts., K.2 tog.

**4th row.**—Cast off 15 [B—17] [C—18] sts., purl to end of row. (22 [B—22] [C—24] sts.).

Work 8 rows in plain smooth fabric.

Cast off.

**THE FRONT**—Work as given for Back to \*\*\*.

Shape for armholes and neck as follows—

Using C.1, cast off 4 [B—5] [C—6] sts. at beg. of next 2 rows.

**Next row.**—K.2 tog., K.28 [B—K.30] [C—K.32], K.2 tog., turn.

Continue on these 30 [B—32] [C—34] sts., dec. once at armhole edge in every row until 27 [B—29] [C—31] sts. remain.

Continue in plain smooth fabric, dec. once at neck edge in next and every following 4th row until 20 [B—20] [C—23] sts. remain.

**Sizes A and C only**—Dec. once at neck edge in every following 3rd row until 18 [C—21] sts. remain.

**All sizes**—Proceed as follows—

**1st row.**—Purl.

**2nd row.**—K.2 tog., knit to end of row.

**3rd row.**—P.2 tog., purl to last 2 sts., P.2 tog.

Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE SLEEVES**—Using No. 8 Needles and M., cast on 36 [B—38] [C—40] stitches.

**1st row.**—K.2, \* P.1, K.1, rep. from \* to end of row. Rep. 1st row fifteen times.

Using No. 4 Needles and M., proceed as follows—

**1st row.**—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows once [B—twice] [C—twice].

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 50 [B—54] [C—58], sts. on needle.

Using M., work 1 row without shaping.

Work in striped patt. as given from \*\* to \*\*\* for Back, inc. once at each end of needle in 5th and every following 6th row until there are 60 [B—64] [C—68] sts. on needle.

Using C.2, work 1 row without shaping.

Rep. rows 1 to 4 incl. of striped patt. as given for Back three times (without shaping).

Break off M.

Using C.1, cast off 2 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 30 [B—34] [C—38] sts. remain, then at each end of every row until 14 sts. remain.

Work 21 [B—23] [C—25] rows in plain smooth fabric without shaping. Cast off.

Work another Sleeve in same manner.

**THE NECKBAND**—Using a fine back stitch seam, sew sleeves and saddle shoulders to front and back, placing 7 sts. of saddle shoulder along side edge of 8 rows at back neck. With right side of work facing, using set of four No. 8 Needles and C.1, knit up 55 [B—57] [C—59] sts. along left saddle shoulder and left side of neck (knitting up last st. from centre front), 54 [B—56] [C—58] sts. along right side of neck and along right saddle shoulder, and 21 [B—21] [C—23] sts. across back of neck. (130 [B—134] [C—140] sts.)

**1st round.**—\* K.1, P.1, rep. from \* to end of round. Work 5 rounds in rib, dec. once at each side of centre point of "V" in every round, keeping centre st. plain.

Work 1 round without shaping.

Work 6 rounds in rib, inc. once at each side of centre point of "V" in every round.

Cast off in rib.

### THE PULLOVER WITH ROUND NECK:

**THE BACK**—Work as given for Back of Pullover with "V" Neck, but leaving sts. across back of neck on a stitch holder instead of casting off.

**THE FRONT**—Work as given for Back of Pullover with "V" Neck to \*\*\*.

Shape for armholes as follows—

Using C.1, cast off 4 [B—5] [C—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in every row until 56 [B—60] [C—64] sts. remain.

Work 22 [B—24] [C—24] rows without shaping.

Shape for neck as follows—

**Next row.**—K.23 [B—K.25] [C—K.26], turn.

Continue on these 23 [B—25] [C—26] sts., dec. once at neck edge in every row until 17 [B—19] [C—20] sts. remain.

Work 1 [B—1] [C—3] row/s without shaping.

**Next row.**—K.2 tog., knit to end of row.

**Next row.**—Purl to last 2 sts., P.2 tog.

Cast off.

Slip next 10 [B—10] [C—12] sts. on a stitch holder and leave. Join in wool at neck edge and work on remaining sts. to correspond with other side.

**THE SLEEVES**—Work as given for Sleeves of Pullover with "V" Neck.

**THE NECKBAND**—Using a fine back stitch seam, sew sleeves and saddle shoulders to front and back, placing 7 sts. of saddle shoulder along side edge of 8 rows at back neck. With right side of work facing, using set of four No. 8 Needles and C.1, knit up 84 [B—88] [C—92] sts. evenly round neck (including sts. from stitch holders).

**1st round.**—\* K.1, P.1, rep. from \* to end of round.

Rep. 1st round twelve times.

Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half on to wrong side and slip stitch lightly in position. Finally, press all seams.

# 'DARBY' (Continued from page 13)

Keeping continuity of patt. as given from \*\* to \*\*, inc. once at each end of needle in 7th and every following 10th row until there are 84 [B—102] [C—116] sts. on needle **Sizes A and B only**—then at each end of every following 8th row until there are 98 [B—108] sts. on needle.

**All Sizes**—Continue in patt. without shaping until side edge measures 16½ [B—18] [C—19½] ins. (or length desired) from commencement, ending so that right side of work will be facing when working next row.

Cast off 2 sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 46 [B—50] [C—50] sts. remain, then at each end of every row until 24 sts. remain. Cast off.

Work another Sleeve in same manner.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Fold 8 rows of rib at neckline on to wrong side and slip stitch very lightly in position. Finally, press all seams.

# 'TIM' (Continued from page 14)

Cast off 2 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 50 [B—58] [C—56] sts. remain, then at each end of every row until 26 [B—30] [C—32] sts. remain. Cast off.

**THE SLEEVES**—Using No. 10 Needles and M., cast on 44 [B—48] [C—52] stitches.

Work as given from \*\* to \*\* for Back once.

Continue in plain smooth fabric, inc. once at each end of needle in 5th and every following 6th row until there are 68 [B—68] [C—76] sts. on needle, then in every following 8th row until there are 72 [B—80] [C—88] sts. on needle.

Continue without shaping until side edge measures 16½ [B—18½] [C—20] ins. (or length desired) from commencement, ending with a purl row.

## Abbreviations

**K.** = Knit. **P.** = Purl. **sts.** = stitches.  
**tog.** = together. **wl. fwd.** = wool forward.  
**alt.** = alternate. **w.o.n.** = wool over needle.  
**p.s.s.o.** = pass slip stitch over. **ins.** = inches.  
**rep.** = repeat. **w.r.n.** = wool round needle.  
**patt.** = pattern. **t.b.l.** = through back of loop.  
**beg.** = beginning. **dec.** = decrease. **incl.** = inclusive.  
**ch.** = chain. **sp.** = space. **s.c.** = single crochet.  
**Garner Stitch** = every row knit. **inc.** = increase.  
**w.o.h.** = wool over hook. **d.c.** = double crochet.  
**tr.** = treble. **sl. st.** = slip stitch. **h. tr.** = half treble.  
**l.tr.** = long treble (wool over hook twice).

*When instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.*

Cast off 2 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 14 [B—14] [C—22] sts. remain, then at each end of every row until 8 sts. remain. Cast off.

**THE NECKBAND**—Using a fine backstitch seam, sew sleeves to fronts and back, noting that tops of sleeves form part of neckline.

With right side of work facing, using No. 10 Needles and M., knit up 91 [B—95] [C—99] sts. evenly round neck.

**1st row.**—\* K.1, P.1, rep. from \* to last st., K.1.

**2nd row.**—K.2, \* P.1, K.1, rep from \* to last st., K.1. Rep. 1st and 2nd rows eight [B—eight] [C—nine] times.

Cast off loosely in rib.

**TO MAKE UP**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back stitch seam for other seams, sew up side and sleeve seams. Fold neckband in half on to wrong side and slip stitch lightly in position. Sew zipp fastener in position. Finally, press all seams.

Published with All Rights Reserved by

**PATONS & BALDWIN'S**  
 (AUSTRALIA) LIMITED

REG. OFFICE: 84-94 FLINDERS LANE, MELBOURNE, C.1 • N.S.W. BRANCH: CHURCH AVENUE, MASCOT

Wholly Set Up and Printed in Australia



Trade Marks Registered in Australia



FOR BOYS & YOUTHS—11 to 18 YEARS—SIZES 30 to 39

PATONS JET · TOTEM · HIGHLAND SPORTS · CONFETTI FLECKS  
DOUBLE QUICK · BLUEBELL · PATONYLE or BEEHIVE FING. 4-PLY

No. 597

Patons

KNITTING BOOK 597  
WITH T.V. DESIGNS



Page 11



Page 10

2/-